

12th January 2022

Dear Parents/Carers,

We have been advised by the UKHSA that there has been a confirmed case/s of COVID-19 within the school. We know that you may find this concerning, but we are continuing to monitor the situation and are providing the following advice. Please be reassured that for most people, coronavirus (COVID-19) will be a mild illness.

The school/nursery/college/ setting remains open and your child should continue to attend as normal if they remain well.

What to do if your child develops symptoms of coronavirus (COVID-19) or tests positive for COVID-19 via PCR or Lateral Flow Device Test (LFD test)

Symptoms of coronavirus (COVID-19) are a new, continuous cough, or a high temperature, or a loss of, or change in, their normal sense of taste or smell (anosmia). Anyone with symptoms will be eligible for a PCR test (the normally available test type) and this can be arranged via [Get a free PCR test to check if you have coronavirus \(COVID-19\) - GOV.UK \(www.gov.uk\)](#) or by calling 119. If your child develops symptoms of coronavirus (COVID-19), they should [get a PCR test](#) and remain at home at least until the result is known. If negative, the child can end self-isolation; if positive, the child should isolate until at least 10 days after their symptoms appeared.

If the child has a positive test result (via PCR or LFD test) but does not have [symptoms](#), they should stay at home and self-isolate for 10 days from the date the positive test was taken. This isolation period will be extended if they go on to develop symptoms by counting 10 full days from the day following their symptom onset.


Please note, as per latest guidance, self-isolation period can be ended earlier than the 10 full days **as long as certain conditions are met** (please see an explanatory diagram below). For instance, you can take an LFD test from 6 days after the day your symptoms started (or the day your test was taken if you did not have symptoms), and another LFD test on the following day. The second LFD test should be taken at least

24 hours later. If both these test results are negative, and you do not have a high temperature, you may end your self-isolation after the second negative test result.

<https://www.gov.uk/report-covid19-result>

You should **not** take an LFD test before the sixth day of your isolation period, and you should only end your self-isolation after you have had 2 consecutive negative LFD tests which should be taken at least 24 hours apart. You should stop testing after you have had 2 consecutive negative test results.

This guidance also applies to children and young people who usually attend an education or childcare setting.



What is the latest advice for the contacts of someone who has tested positive for COVID-19?

[Guidance for households with possible or confirmed coronavirus \(COVID-19\) infection](#)

[Guidance for contacts of people with confirmed coronavirus \(COVID-19\) infection who do not live with the person - GOV.UK \(www.gov.uk\)](#)

Any member of the household who is aged 18 years and 6 months or over and has only received one dose of COVID-19 vaccine or has not received any dose of the COVID-19 vaccination will still be required to self-isolate as household contact of a someone with COVID-19 symptoms awaiting testing and someone who has tested positive for COVID-19.

NHS Test and Trace will get in touch with anyone who is a contact of someone who has tested positive for COVID-19 and will provide isolation and testing advice.

You may be entitled to a one-off payment of £500 through the [NHS Test and Trace Support Payment scheme](#) if you are required to stay at home and self-isolate or you are the parent or guardian of a child who has been told to self-isolate.

Those who are [clinically extremely vulnerable](#) should be supported to minimise their contact with other people in the household during this period, regardless of whether others have symptoms or not.

For most people, coronavirus (COVID-19) will be a mild illness. If your child does develop symptoms, you can seek advice from the nhs.uk website at <https://www.nhs.uk/conditions/coronavirus-covid-19/check-if-you-have-coronavirus-symptoms/>. If you are concerned about your child's symptoms, or they are worsening you can seek advice from NHS 111 at <https://111.nhs.uk/> or by phoning 111.

How to stop coronavirus (COVID-19) spreading

There are things you can do to help reduce the risk of you and anyone you live with getting ill with coronavirus (COVID-19):

- get vaccinated – everyone aged 12 and over can [book COVID-19 vaccination appointments](#)
- wash your hands with soap and water or use hand sanitiser regularly throughout the day
- cover your mouth and nose with a tissue or your sleeve (not your hands) when you cough or sneeze
- put used tissues in the bin immediately and wash your hands afterwards
- meet people outside and avoid crowded areas
- open doors and windows to let in fresh air if meeting people inside
- wear a face covering if aged 11 and over when it's hard to stay away from other people – particularly indoors or in crowded places
- participate in twice weekly LFD testing following national guidelines (recommended for 11 years and over). We encourage you to log your results here: <https://www.gov.uk/log-test-site-covid19-results>

As you are aware, things are changing rapidly, please familiarise yourselves with the latest government guidance and further information is available at <https://www.nhs.uk/conditions/coronavirus-covid-19/>

Yours faithfully



Ms Claire Gillespie
Headteacher